Votre programme d'aide aux employés et à la famille (PAEF) est un service confidentiel de soutien pouvant vous aider à entreprendre une démarche pour effectuer un changement.

Tips for helping your child through a traumatic event

Children do not have the ability to communicate worries or concerns through words. They just don't have the vocabulary. Teens have the vocabulary, however, they may lack the maturity and life experience to properly identify the feelings that they are having. Both children and teens are impacted by the influences that surround them.

For a parent or guardian, a traumatic event is frightening. It can be even more frightening and unsettling for children. Like the adults around them, they too experienced the same event. The children in your life have also been exposed to the same photographs, stories in print media and television images.

Children are like sponges, taking in the world. They are very aware when the adults around them are having a strong emotional reaction. They need to have their feelings validated. It is important to remember that a child not talking about an event does not mean that the event is forgotten or has no importance. Children and teens are more likely to express their reactions through their actions rather than words. Be attentive and take special care through this time of chaos and instability.

The children in your life need your reassurance that they are safe with you. It is important to let them know that it is healthy to express emotions and to let them out. During this time, children will likely be highly sensitive and attentive to the adult responses surrounding them.

The children in your care will need reassurance that their safety and security will be taken care of by the adults in their lives. They will need encouragement to express their concerns. An extra hug, talk time or five more minutes before bedtime are some examples of what you can do to encourage and reassure them. Let them tell you what they need by paying attention to what they are doing or asking for.

Potential reactions that you might see in your child

- Irritability, agitation, confusion
- Withdrawn, denial, sadness
- Sleep disturbance, nightmares
- Increased anxiety, intense fear
- Changes in appetite
- Distress due to work or travel related parental absence

- Quietness, less communicative
- Feelings of helplessness or anger
- More prone to accidents/clumsiness
- Verbal outbursts
- Poor concentration
- Return/increase of bed-wetting or other regressive behavior

• Testing house rules-dress, curfew, chores

The reactions are usually temporary and will often subside in three to six weeks. In the meantime though, these reactions can be uncomfortable, impacting concentration, productivity and even disrupting sleep patterns.

What you can do

• Don't leave your child alone in a new	,
place	

- Stay together to show you won't go away
- Talk to your child about the disaster
- · Hold and hug
- Encourage your child to talk
- Listen

• Say it is OK to be afraid

- Let them know that you were afraid too
- Tell your child about your plans each day
- Reassure them that they're in a safe place
- Be attentive to media coverage adding to you and your child's anxiety/stress level
- As long as it can be done safely, let your child help clean up
- Put order in your day as best you can
- Explain, talk and listen frequently

Bedtime may be difficult. Your child may be afraid of the dark, not want to sleep away from you and/or may have nightmares or begin to wet the bed again.

What you can do at bedtime

• Explain why it gets dark

• Talk about dreams

• Praise the child for good things

• Don't yell

• Leave the light on and the door ajar

• Agree on a time for your child to go to bed

· Read to your child

• Tell a story about something good that happened that day

© 2025 Morneau Shepell Itée. Votre programme ne comprend pas nécessairement tous les services décrits dans ce site. Veuillez consulter la documentation de votre programme pour plus d'information. Pour une assistance immédiate, composez le 1 844 880 9137.

It is important to help your child externalize the feelings. Keeping reactions inside will only serve to have them go into hiding and come back when least expected. Also speak with other parents, caregivers, your child's teacher or school principal to discuss other ideas and suggestions, support and resources.

Take care of yourself

Be aware of your own stress reactions in order to take care of yourself. Your emotional health is an essential element to providing appropriate support to your children. Some final tips for you:

- If you wake up in the middle of the night have a drink of water, read a little if you can't get back to sleep and remember to take some deep breaths.
- If you have a flashback, take some deep breaths, breathing in through your nose and out through your mouth to the count of ten and take notice of your current environment.
- Get rest, keep a normal schedule and eat properly.
- Try to exercise where possible, drink lots of water and avoid alcohol.
- Connect with and get support from the people and resources that make a difference in your life.

Call your Employee and Family Assistance Program (EFAP) 24 hours a day, seven days a week at 1.844.880.9142 or visit workhealthlife.com.